	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	1461496	(tun$ or adjust$)	USPAT	2005/04/08 11:49			
2	BRS	L2	792	differential near2 transconduct$	USPAT	2005/04/08 10:35			
3	BRS	L3	1770	tail near2 current$	USPAT	2005/04/08 11:50			
4	BRS	L4	59755	switch$ near2 transistor$	USPAT	2005/04/08 10:21			
5	BRS	L5	268584	transistor$	USPAT	2005/04/08 11:50			
6	BRS	L6	5329	effective near2 channel$	USPAT	2005/04/08 10:45			
7	BRS	L7	803	composite near2 (transistor$ or fet$)	USPAT	2005/04/08 10:22			
8	BRS	L8	1262369	parallel$	USPAT	2005/04/08 11:51			
9	BRS	L9	0	1 and 2 and 3 and 4 and 5 and 6 and 7 and 8	USPAT	2005/04/08 10:25			
10	BRS	L10	1	1 and 2 and 3 and 4 and 5 and 6 and 8	USPAT	2005/04/08 10:33			
11	BRS	L11	13889	parallel$ near2 transistor$	USPAT	2005/04/08 10:31			
12	BRS	L12	0	1 and 2 and 3 and 5 and 6 and 8 and 11	USPAT	2005/04/08 10:35			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
13	BRS	L14	9200	transconduct$	USPAT	2005/04/08 11:51			
14	BRS	L15	9	1 and 14 and 3 and 5 and 6 and 8	USPAT	2005/04/08 10:36			
15	BRS	L16	2038	effective near2 channel$ near2 (length$ or width$)	USPAT	2005/04/08 11:52			
16	BRS	L17	4	15 and 16	USPAT	2005/04/08 10:46			
17	BRS	L13	6	1 and 2 and 3 and 5 and 6 and 8	USPAT	2005/04/08 11:45			
18	IS&R	L18	1	("5528179").PN.	USPAT	2005/04/08 11:47			
19	BRS	L19	0	16 and 18	USPAT	2005/04/08 11:47			
20	BRS	L20	1910200	(tuning or tunable or adjust or adjusting or adjusted or adjusts)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/08 11:50		.	
21	BRS	L22	1095	tail near2 (current or currents)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/08 11:50			
22	BRS	L23	486780	transistor or transistors	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/08 11:51			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
23	BRS	L24	198426 5	parallel	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/08 11:51			
24	BRS	L25	6403	transconductance	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/08 11:52			
25	BRS	L26	1181	effective near2 channel near2 (length or width)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/08 11:52			
26	BRS	L27	1	20 and 22 and 23 and 24 and 25 and 26	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/08 11:53			